

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANTS:	Wormuth et al.	CONF. NO:	1877
APP. NO.:	10/537,446	FILING DATE:	November 9, 2005
PATENT NO.:	7,727,942	ISSUE DATE.:	June 1, 2010
GROUP NO:	1797	EXAMINER:	James C. Goloboy
TITLE:	LUBRICANT COATED SHEET METAL WITH IMPROVED DEFORMATION PROPERTIES		

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


**REQUEST FOR CERTIFICATE OF CORRECTION**

The Assignees, ThyssenKrupp Stahl AG and Deutsche BP AG, by virtue of the assignment recorded April 15, 2010, at Reel 024236, Frame 0632, respectfully request issuance of a Certificate of Correction under 37 C.F.R. §§ 1.322 and 1.323 to correct mistakes in U.S. Patent No. 7,727,942. The mistakes in U.S. Patent No. 7,727,942 include:

- On the cover page, under Assignees "TryssenKrupp Stahl AG" should read "ThyssenKrupp Stahl AG"
- Claim 1, at column 7, line 47, "-NH(R'-OH)<sub>2</sub>" should read "-NH(R'-OH), -N(R'-OH)<sub>2</sub>"

The Office is invited to contact the Assignees' Attorney at the number below with any questions regarding this Request. The Commissioner is hereby authorized to charge any fees due in connection with this Request to Deposit Account No. 50-3081.

Date: August 5, 2010

  
Isaac A. Hubner, Reg. No. 61,393  
Attorney for the Assignees  
Proskauer Rose LLP  
One International Place  
Boston, MA 02110  
Tel. No. (617) 526-9893

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,727,942  
APPLICATION NO. : 10/537,446  
ISSUE DATE : June 1, 2010  
INVENTOR(S) : Wormuth et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page, under Assignees, delete "TryssenKrupp" and replace it with  
--ThyssenKrupp--

In claim 1, at column 7, line 47, delete " $\text{NH}(\text{R}'\text{-OH})_2$ " and replace it with  
-- $\text{NH}(\text{R}'\text{-OH})$ , -  $\text{N}(\text{R}'\text{-OH})_2$ --

MAILING ADDRESS OF SENDER: Patent Administrator  
Proskauer Rose LLP  
One International Place  
Boston, MA 02110  
Phone No.: (617) 526-9600  
Fax No.: (617) 526-9899